

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Date of Report: 08/29/00

Date Received: 08/24/00

Project: Metro Self Monitor, PO# M82838

Date Extracted: 08/28/00

Date Analyzed: 08/28/00

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE  
FOR TOTAL METALS BY  
INDUCTIVELY COUPLED PLASMA (ICP)  
(METHOD 6010)**

Results Reported as mg/L (ppm)

<u>Sample ID</u> Laboratory ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M82838 008116-01	0.63	0.46	0.61	0.09
Method Blank	<0.05	<0.05	<0.05	<0.05

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Date of Report: 08/29/00

Date Received: 08/24/00

Project: Metro Self Monitor, PO# M82838

**QUALITY ASSURANCE RESULTS  
FOR TOTAL METALS BY  
INDUCTIVELY COUPLED PLASMA (ICP)  
(METHOD 6010)**

Laboratory Code: 008116-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	0.63	0.68	8	0-20
Copper	mg/L (ppm)	0.46	0.45	2	0-20
Nickel	mg/L (ppm)	0.61	0.70	14	0-20
Zinc	mg/L (ppm)	0.09	0.09	0	0-20

Laboratory Code: 008116-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	% Recovery MSD	Acceptance Criteria	RPD
Chromium	mg/L (ppm)	5	0.63	91	93	80-120	2
Copper	mg/L (ppm)	5	0.46	98	99	80-120	1
Nickel	mg/L (ppm)	10	0.61	86	93	80-120	8
Zinc	mg/L (ppm)	5	0.09	86	96	80-120	11

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD
Chromium	mg/L (ppm)	5	94	95	80-120	1
Copper	mg/L (ppm)	5	104	104	80-120	0
Nickel	mg/L (ppm)	10	94	95	80-120	1
Zinc	mg/L (ppm)	5	93	92	80-120	1



**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

James E. Bruya, Ph.D.  
Charlene Jensen, M.S.  
Bradley T. Benson, B.S.  
Kurt Johnson, B.S.

3012 16th Avenue West  
Seattle, WA 98119-2029  
TEL: (206) 285-8282  
FAX: (206) 283-5044  
e-mail: fbi@isomedia.com

August 29, 2000

**DUPLICATE COPY**

**INVOICE #00ACU0829-1**

Accounts Payable  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

RE: Project Metro Self Monitor, PO# M82838 - Results of testing requested by  
Gerald A. Thompson for material submitted on August 24, 2000.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc  
by Method 6010 @ \$80 per sample

\$ 80.00

Amount Due .....

\$ 80.00

FEDERAL TAX ID (b) (6)

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.  
Charlene Jensen, M.S.  
Bradley T. Benson, B.S.  
Kurt Johnson, B.S.

3012 16th Avenue West  
Seattle, WA 98119-2029  
TEL: (206) 285-8282  
FAX: (206) 283-5044  
e-mail: fbi@isomedia.com

August 29, 2000

Gerald A. Thompson, Project Manager  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134


Dear Mr. Thompson:

Included are the results from the testing of material submitted on August 24, 2000 from your Metro Self Monitor, PO# M82838 project. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Kate Trafton  
Project Manager

Enclosures  
ACU0829R.DOC